

CLOSE COUPLED HOLDERS T-2000/T-2000E


	Part Number Non-Ejector Type	Part Number Ejector Type	Holder Body Diameter	Holder Body Length
4 RW Taper (#1 MT)	T-2000	T-2000-E	3/4	3
	T-2001	T-2001-E	7/8	
	T-2002	T-2002-E	1	
5 RW Taper (#2 MT)	T-2003	T-2003-E	1	3
	T-2004	T-2004-E	1-1/4	
	T-2005	T-2005-E	1-1/2	

Custom barrel lengths available



SPECIAL 20 DEGREE OFFSET HOLDERS

	Part Number	Shank Dia.
5 RW Taper (#2 MT)	T-5200	1
	T-5205	1-1/4








PADDLE TYPE HOLDERS

For use with Socket Type Tips as shown below

Part Number	Shank Diameter
T-4012	3/4
T-4014	7/8
T-4016	1
T-4020	1-1/4
T-4024	1-1/2
Replacement Screw P/N 10F37SHC	

SOCKET TIPS FOR USE WITH T-4000 HOLDERS

10-32 NPT
9/32 Deep




SP-228

SP-282

SP-299

SPB-309

SP-270



UNIVERSAL TAPERED BARREL HOLDER ASSEMBLY

ASSEMBLY PART NO.	"T" CONNECTION				HOLDER			ADAPTER HEAD			
	Part No.	Hole Dia.	Shank Dia.	Shank Length	Part No.	Body Dia.	Taper	Part No.	Angle of Head	Taper to Holder	Taper to Electrode
	T-1159	7/8	7/8	4	T-5405	7/8	5 RW Taper (#2 MT)	T-1190	90 Deg.	5 RW Taper (#2 MT)	4 RW
	T-1160	1	1		T-5406	1		T-1190			4 RW
	T-1161	1-1/4	1-1/4		T-5407	1-1/4		T-1290			5 RW
	T-1163	1	1-1/4		T-5406	1		T-1130	30 Deg.		4 RW
	T-1164	1	1-1/2		T-5406	1		T-1230	5 RW		



HOLDER ADAPTER HEADS

MALE TAPER TYPE

Part Number	Degree of Angle	Holder Taper	Electrode Taper
T-1190	90	5 RW	4 RW
T-1290	90	Taper	5 RW
T-1130	30	(#2 MT)	4 RW
T-1230	30		5 RW


Straight Tapered Barrel holders are shown on page 31.



"T" CONNECTIONS FOR HOLDERS

Part Number	Hole Dia.	Shank Dia.	Shank Length
T-1159	7/8	7/8	4
T-1160	1	1	
T-1161	1-1/4	1-1/4	
T-1162	1-1/2	1-1/2	
T-1163	1	1-1/4	
T-1164	1	1-1/2	4
T-1165	1-1/4	1-1/2	

SPECIAL SHANK DIAMETERS ARE AVAILABLE.



UNIVERSAL THREADED BARREL HOLDER ASSEMBLY

Part Number	A Dia.	B Dia.
760-0-0001	7/8 Dia.	1 Dia.
780-0-0001	1 Dia.	1-1/8 Dia.

ASSEMBLY PART NO.	"T" CONNECTION				HOLDER			ADAPTER HEAD			
	Part No.	Hole Dia.	Shank Dia.	Shank Length	Part No.	Body Dia.	Thread	Part No.	Angle of Head	Holder Thread	Taper to Electrode
T-2104	T-1160	1	1	4	T-5432-A	1	7/8-14	T-764	90 Deg.	7/8-14	4 RW
T-2106	T-1160	1	1		T-5432-A	1		T-766			5 RW
T-2114	T-1161	1-1/4	1-1/4		T-5433-A	1-1/4		T-764			4 RW
T-2116	T-1161	1-1/4	1-1/4		T-5433-A	1-1/4	1-14	T-766		1-14	5 RW
T-2128	T-1162	1-1/2	1-1/2		T-5435-A	1-1/2		T-778			4 RW
T-2120	T-1162	1-1/2	1-1/2		T-5435-A	1-1/2		T-780			5 RW
T-2105	T-1160	1	1		T-5432-A	1	7/8-14	T-765	30 Deg.	7/8-14	4 RW
T-2107	T-1160	1	1		T-5432-A	1		T-767			5 RW
T-2115	T-1161	1-1/4	1-1/4		T-5433-A	1-1/4		T-765			4 RW
T-2117	T-1161	1-1/4	1-1/4		T-5433-A	1-1/4	1-14	T-767		1-14	5 RW
T-2129	T-1162	1-1/2	1-1/2		T-5435-A	1-1/2		T-779			4 RW
T-2121	T-1162	1-1/2	1-1/2		T-5435-A	1-1/2		T-781			5 RW

STRAIGHT THREADED BARREL HOLDERS



90 DEG

Part No.	Barrel Dia.	Barrel Length	Barrel Thread
T-5432-A	1	8	7/8-14
T-5433-A	1-1/4		
T-5434-A	1-1/2		
T-5435-A	1-1/2		1-14

90 DEGREE HOLDER ADAPTER HEADS MALE THREAD TYPE

Part Number	Degree of Angle	Holder Thread	Electrode Taper
T-764	90	7/8-14	4 RW
T-766			5 RW
T-778		1-14	4 RW
T-780			5 RW



30 DEG

30 DEGREE HOLDER ADAPTER HEADS MALE THREAD TYPE

Part Number	Degree of Angle	Holder Thread	Electrode Taper
T-765	30	7/8-14	4 RW
T-767			5 RW
T-779		1-14	4 RW
T-781			5 RW